

Venue Specs "Großer Saal" - Bürgerhaus Stollwerck - Köln

Address		Bürgerhaus Stollwerck			
		Dreikönigenstr. 23			
		50678 Köln			
Phone		+49 221 991108-12 // -0			
Mail		mieten-stollwerck@stadt-koeln.de // martin.eckhardt@stadt-koeln.de			
URL		http://www.buergerhausstollwerck.de/			
Load-In Address		Bürgerhaus Stollwerck			
		Bayenstr. 49 -> and then another 50 meters to the turn right into the parking lot			
		Google Maps: 50.925611, 6.964747			
		50678 Köln			
Venue Type		Indoor Club			
Soundlimit		According to German law, DIN 15905-5 / max. 99dB(A) averaged over 30 minutes 135dB(C) Peak			
Parking Bus Truck		Venue side, to be advanced // Power Supply for Nihghtliner -> 32A CEE (all 3 phase)			
Load In		Elevator - B 1,68 x H 2,20 x T 2,78 - max. 2625 kg			
Doors		B 1,83 x H 2,14			
		B 1,64 x H 2,34			
Forklift		No			
Stage Type		Fixed stage			
Stage Size		B 10,00 x H 0,80 x T 4,00			
Clearance		5,11 m ground to truss			
		4,31 m stage to truss			
		5,49 m ground to carrier line			
		4,69 m stage to carrier line			
		2,66 m stage to line array			
		14,50 m stage to wall (Room-length)			
		13,40 m wall to wall (Room-width)			
Barrier		to be rented			
Rigging		No			
Power Supply Stage	Sound & Lights	1x 63A CEE, 1x 32A CEE(House-PA), 1x Adapter 1x63A CEE to 2x32A CEE (all 3 phase)			
Front Of House Position		Fixed position			
Multicore Run		Fixed			
Follow Spot Location		N/A			
Houselight Control		on console (DMX 1-049)			

Production Office			Yes (Room 101)			
Production Office Size			7,64 x 4,53 // ceiling height: 2,43			
Production Phone			No			
Wifi			Yes			
Dressing Room			3, not separate			
Dressing Room Size			3,13 x 3,41 // 1,79 x 4,05 // 4,71 x 3,31 // ceiling height: 2,41			
Restroom			1			
Shower			1			
Catering Area			Yes			
Kitchen			No			
Ice Supply			No			
Merchandise Fee			Self vend			
General Remarks			No pyro, no confetti, no laser			
			All deco material used on stage and inside the venue (e.g. backdrop, side masking, skirting, inflatables etc.)			
			need to meet low flammability requirements and need to be certified according to DIN 4102 B1 .			
			Basically, (B1) certificates for Germany have to be provided by a German institution!			
			A translation into German language for a non- German certificate with a non- German (B1) standard is unacceptable.			
PA			10 pcs DB Technologies Vio L210 Line Array System			
			6 pcs DB Technologies S1518 18" Subwoofer			
Nearfiled			controlled by Control8 RDNET and AC26 System-Controller			
Balcony						
Front Of House Console			Midas M32R with DL32			
Audio Multicore			2x CAT 7 from FOH —> Stage			
Monitoring			to be rented			
(Monitoring Console)			to be rented, only stage right			
Microphones			to be rented			
Lighting		Back	2x 6bar PAR64 CP61 1000W			
			8x Tourled Pro 28 Zoom RGBW Mk2			
			6x Cameo Auro Spot Z300; LED Spot Moving Head mit Zoom und 200 W LED			
			2x 4bar Par64 ACL			
			3x Strand Fresnel 650W			
		Front	6x Showtec Profile 26° 600W			
			3x Arri T2 Fresnel			
			2x Strand Fresnel 1000W			
			3x 4light Stageblinder			
		Mid 1	1x Arri T2 Fresnel			
			2x Robert Juillet pc 1000W			
			2x Strand Profile 1000W			

			1x Strand Profile 650W			
		Mid 2	/////			
		Dimmer	48 channels, 2kW			
		Desk	grandMA 2 PC Command Wing + Fader Wing			
		Misc.	1x DMX line running from FOH to stage			
			1x CAT 7 line running from FOH to Backtruss			